Google*

Web Images Groups News Froogle Local more »

drilling wellbore twinning techniques

Search Advanced Search Preferences

Web

Results 1 - 10 of about 25 for drilling wellbore twinning techniques . (0.26 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

[PDF] 2005 CADE • CAODC DRILLING CONFERENCE SCHEDULE

File Format: PDF/Adobe Acrobat - View as HTML

... Well Twinning: Recent North Sea Case Studies Demonstrate How a New ...

Wellbore Positioning Technique Offers Advantages for Drilling SAGD Wells ...

www.drillingconference.ca/pdf/ Schedule%20-%20FINAL%20_two%20pages_%2005.pdf - Similar pages

WorldOil.com - Online Magazine Article: Features - Mar-2003

... statistics and technical editorial to the oil and gas drilling, exploration and

... The technology was tested during the spring of 2002 by twinning two ...

www.worldoil.com/magazine/ MAGAZINE_DETAIL.asp?ART_ID=1970 - 48k - Cached - Similar pages

[PDF] Characterization and Monitoring Techniques for Solvent ...

File Format: PDF/Adobe Acrobat - View as HTML

... Traditional Monitoring Techniques. Although limited well drilling was ...

air rotary techniques to advance the wellbore into the limestone bedrock. To ...

clu-in.org/products/siteprof/2004fracrockconf/ cdr_pdfs/indexed/group1/239.pdf - Similar pages

[PDF] Rally Energy Reports 2004 Profit and Record Operating Results

File Format: PDF/Adobe Acrobat - View as HTML

... together with twinning of wells for uphole production, has generally ...

third quarter of this year through the deepening of an existing wellbore, as ...

www.rallyenergy.com/2005pdfs/PRApril2505.pdf - Similar pages

[PDF] ANNUALREPORT

File Format: PDF/Adobe Acrobat - View as HTML

... on methodically establishing drilling, completion and production techniques

... from steam injection into the Lower Dolomite in a single test wellbore. ...

www.rallyenergy.com/assets/images/RallyAR04.pdf - Similar pages

C:\MUCLUC\21-7\CLV891\2000\v60s8.htm

... WELLBORE DESIGN Twinning slots, ERD expand potential 87 Extended reach drilling and twinned slots ... gas breakthrough 94 Direct wellbore detection, and ... www.vista.gov.vn/nganhangdulieu/ tapchi/clv891/2000/v60s8.htm - 16k - Supplemental Result - Cached - Similar pages

[PDF] Layout 1 (Page 3 - 4)

File Format: PDF/Adobe Acrobat - View as HTML

... NS drilling and FE programme - Brenda field case study. Ewan Mitchell, Pathfinder

... Well twinning, an innovative MWD wellbore positioning ...

speuk.spe.org/images/speuk/setup/Devex_programme.pdf - Similar pages

[PDF] Untitled

File Format: PDF/Adobe Acrobat - View as HTML

... ii. costs associated with suspension or abandonment of the wellbore; and, ...

Wellsite surveys are expected to be completed during 2004 and drilling ...

www.cansup.com/pdf_files/Q1-2004.pdf - Similar pages

Google Search: drilling wellbore twinning techniques

Centurion Energy International Inc. - QwikReport - Thu May 26, 2005

... the installation of a new 12" sales gas pipeline **twinning** the existing 33 km ... made to move the **drilling** rig off the hole due to **wellbore** instability. ... www.centurionenergy.com/s/QwikReport.asp?lsPopup=Y& printVersion=now&X1=107409,105231,104350,10298... - 99k - Cached - Similar pages

[PDF] The Patent and Design Journal No 5993

File Format: PDF/Adobe Acrobat - View as HTML

... twinning techniques in borehole. surveying. Date Lodged: 27 Feb 2004 ... Syntroleum Corporation **Drilling** fluid. and methods of production and use ... www.patent.gov.uk/patent/notices/journals/2004/5993.pdf - <u>Similar pages</u>

Google Result Page: 1 2 3 Nex

Free! Google Desktop Search: Search your own computer. Download now.

Find: ☑ emails - ☑ files - & chats - ❷ web history - ♪ media - ဩ PDF

drilling wellbore twinning techniques Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Google-

Web Images Groups News Froogle Local more »

borehole magnetic vector survey

Search Advanced Search Preferences

Web

Results 1 - 10 of about 6,040 for borehole magnetic vector survey. (0.19 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

Combined 3-D Interpretation of Airborne, Surface, and Borehole ...

... Surface, and **Borehole Vector** Magnetics at the McConnell Nickel Deposit ...

A more detailed ground magnetics **survey** and a **borehole magnetic survey** are ...

apt.allenpress.com/.../?request=get-abstract& issn=1083-1363&volume=003&issue=04&page=0203 - Similar pages

[PDF] Focus...

File Format: PDF/Adobe Acrobat - View as HTML

... BOREHOLE SURVEYING. out was less than three hours. Survey results ... actual borehole path. In some instances the. magnetic data may not be useable in ... www.flexit.se/PDF/articles/GDI_0502_Flexit(LowRes).pdf - Similar pages

[PDF] Paper 4

File Format: PDF/Adobe Acrobat - View as HTML

... by the Geological **Survey** of Canada's work aimed at documenting **borehole** ... Figure 12: The concept of using **magnetic vector** components to determine the ... www.auslog.com.au/downloads/paper4.pdf - Similar pages

Borehole Geophysics and Petrophysics - Magnetic Susceptibility

Site presents various methods offered by **borehole** geophysics and petrophysics ... Earth Sciences Sector > Geological **Survey** of Canada > **Borehole** geophysics ... qsc.nrcan.gc.ca/borehole/ms e.php - 17k - Cached - Similar pages

TECHNICAL PROGRAM

... A PERSPECTIVE ON THE PROBLEMS OF **BOREHOLE MAGNETIC** SUSCEPTIBILITY AND ... use additional **borehole** information to **vector** towards potential economic grade ... www.mgls.org/2002Sym/Technical_Program.html - 95k - <u>Cached</u> - <u>Similar pages</u>

Schimschal Paper

... 13 refraction profiles, and a checkshot survey in one accessible borehole. ... can be refined ith magnetic methods. Borehole Geophysical Logging ... www.mgls.org/93Sym/Schimschal/Index.html - 30k - Cached - Similar pages

Our Work EM

... Figure 1 - Plots of the complex **vector magnetic** field (3 amplitudes and 3 ... blue lines) measured at 2240 Hz in **borehole** 2235 (Sibay) compared to the ... minurals.brgm.fr/texte/ourwork_EM.htm - 15k - Cached - Similar pages

[PDF] On the use of High-Resolution Airborne Magnetics (HRAM) to map and ...

File Format: PDF/Adobe Acrobat - View as HTML

... iii) Airborne vector magnetometry and full magnetic tensor measurements ... borehole magnetic data. Geophysics, vol. 65, no. 2, pp. 540-552, 2000. ... www.gemsys.ca/Students/Ugalde_H_High_Resolution.pdf - Similar pages

Electromagnetic Imaging of Conducting Contaminant Plumes

... the measured small changes in **magnetic** field in another, distant **borehole**; however, ... and MJ Wilt, 1995, A **borehole**-to-surface electromagnetic **survey**, ...

Google Search: borehole magnetic vector survey

www.athena.uc3m.es/~dorn/elmag/report1/firstyear.html - 35k - Cached - Similar pages

Blackhawk Geometrics & GEOVision R & D

- ... depending on the applied vector magnetic field have led to compact, low-power,
- ... GEOVision performed the borehole geologic logging and geophysical ...

www.blackhawkgeo.com/R___D/r___d.html - 35k - Cached - Similar pages

Goooooooogle >

Result Page: 1 <u>2</u> <u>3</u>

1 2 3 4 5 6 7 8 9 10

Next

Free! Google Desktop Search: Search your own computer. <u>Download now.</u>

Find: ☑ emails - ☑ files - 爲 chats - ❷ web history - ♪ media - ڱ PDF

borehole magnetic vector survey Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google



Journal of Environmental and Engineering Geophysics: Vol. 3, No. 4, pp. 203-214.

Combined 3-D Interpretation of Airborne, Surface, and Borehole Vector Magnetics at the McConnell Nickel Deposit

Edna L. Mueller,^a William A. Morris,^a Patrick G. Killeen,^b and Steven Balch^c

^aDepartment of Geology, McMaster University, 1280 Main Street W., Hamiliton, Ontario, Canada, L8S 4M1


^bBorehole Geophysics Section, Geological Survey of Canada, 601 Booth Street, Ottawa, Ontario, Canada, K1A 0E8

^cINCO Limited, Engineering Bldg., Field Exploration Office, Highway 17, Copper Cliff, Ontario, Canada, P0M 1N0

ABSTRACT

The McConnell nickel deposit is an elliptical amphibolite-biotite quartz diorite pod within the Sudbury Metabreccia that surrounds the main mass of the Sudbury Igneous Complex. The geometry of the deposit is tabular with a strike length of approximately 152 m and depth extent of 610 m. Various magnetic surveys were conducted in this study area. A regional aeromagnetic survey was conducted by the Ontario Geological Survey. A more detailed ground magnetics survey and a borehole magnetic survey are used in the interpretation of the character of the causative body. Five boreholes which intersect the deposit at 40 m, 105 m, 135 m, 210 m, and 250 m provide good lithological control of the deposit with depth. Eight other boreholes used in this study did not have logged lithology, but all 13 holes were logged with gamma ray, density, spectral gamma-gamma, IP, resistivity, SP, magnetic susceptibility, temperature, and 3-component magnetic field probes. Only the measurements of magnetic susceptibility and 3-component magnetic field measurements and their interpretation will be discussed in this paper. 3-component magnetic vector surveys show different signatures for boreholes that pass through a magnetic source body (an onhole source), and for holes that are adjacent to the source body (an offhole source). Using inverse models of the surface magnetic data, values of magnetic susceptibility and magnetic remanence direction and intensity for the various lithological units are estimated. Modelling of the subsurface data reveals fine structure within the ore body and may be used to estimate the direction and distance to other offhole magnetic bodies.

Copyright by Environmental and Engineering Geophysical Society 1998



Web

Results 1 - 10 of about 25 for <u>drilling</u> wellbore <u>twinning techniques</u>. (0.09 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

IPDF1 2005 CADE • CAODC DRILLING CONFERENCE SCHEDULE

File Format: PDF/Adobe Acrobat - View as HTML

... Well Twinning: Recent North Sea Case Studies Demonstrate How a New ...

Wellbore Positioning Technique Offers Advantages for Drilling SAGD Wells ...

www.drillingconference.ca/pdf/ Schedule%20-%20FINAL%20_two%20pages_%2005.pdf - Similar pages

WorldOil.com - Online Magazine Article: Features - Mar-2003

... statistics and technical editorial to the oil and gas drilling, exploration and

... The technology was tested during the spring of 2002 by twinning two ...

www.worldoil.com/magazine/ MAGAZINE_DETAIL.asp?ART_ID=1970 - 48k - Cached - Similar pages

[PDF] Characterization and Monitoring Techniques for Solvent ...

File Format: PDF/Adobe Acrobat - View as HTML

... Traditional Monitoring **Techniques**. Although limited well **drilling** was ...

air rotary techniques to advance the wellbore into the limestone bedrock. To ...

clu-in.org/products/siteprof/2004fracrockconf/ cdr_pdfs/indexed/group1/239.pdf - Similar pages

[PDF] Rally Energy Reports 2004 Profit and Record Operating Results

File Format: PDF/Adobe Acrobat - View as HTML

... together with **twinning** of wells for uphole production, has generally ...

third quarter of this year through the deepening of an existing wellbore, as ...

www.rallyenergy.com/2005pdfs/PRApril2505.pdf - Similar pages

(PDF) ANNUALREPORT

File Format: PDF/Adobe Acrobat - View as HTML

... on methodically establishing drilling, completion and production techniques

... from steam injection into the Lower Dolomite in a single test wellbore. ...

www.rallyenergy.com/assets/images/RallyAR04.pdf - Similar pages

C:\MUCLUC\21-7\CLV891\2000\v60s8.htm

... WELLBORE DESIGN Twinning slots, ERD expand potential 87 Extended reach drilling and twinned slots ... gas breakthrough 94 Direct wellbore detection, and ... www.vista.gov.vn/nganhangdulieu/ tapchi/clv891/2000/v60s8.htm - 16k - Supplemental Result - Cached - Similar pages

(PDF) Layout 1 (Page 3 - 4)

File Format: PDF/Adobe Acrobat - View as HTML

... NS drilling and FE programme - Brenda field case study. Ewan Mitchell, Pathfinder

... Well twinning, an innovative MWD wellbore positioning ...

speuk.spe.org/images/speuk/setup/Devex_programme.pdf - Similar pages

[PDF] Untitled

File Format: PDF/Adobe Acrobat - View as HTML

... ii. costs associated with suspension or abandonment of the wellbore; and, ...

Wellsite surveys are expected to be completed during 2004 and drilling ...

www.cansup.com/pdf_files/Q1-2004.pdf - Similar pages

Centurion Energy International Inc. - QwikReport - Thu May 26, 2005

... the installation of a new 12" sales gas pipeline **twinning** the existing 33 km ... made to move the **drilling** rig off the hole due to **wellbore** instability. ... www.centurionenergy.com/s/QwikReport.asp?lsPopup=Y& printVersion=now&X1=107409,105231,104350,10298... - 99k - Cached - Similar pages

[PDF] The Patent and Design Journal No 5993

File Format: PDF/Adobe Acrobat - View as HTML

... twinning techniques in borehole. surveying. Date Lodged: 27 Feb 2004 ... Syntroleum Corporation **Drilling** fluid. and methods of production and use ... www.patent.gov.uk/patent/notices/journals/2004/5993.pdf - <u>Similar pages</u>

Google Result Page: 1 2 3 Next

Free! Get the Google Toolbar. Download Now - About Toolbar



drilling wellbore twinning techniques Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1		("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn.	US-PGPUB; USPAT	OR	ON	2005/06/03 15:11
L2	49	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole	US-PGPUB; USPAT	OR	ON	2005/06/03 15:10
L3	0	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and twinning	US-PGPUB; USPAT	OR	ON	2005/06/03 15:10

L4	1	33/304.ccls. and twin\$4	USPAT	OR	ON	2005/06/03 15:11
L5	34	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole same survey and drilling	US-PGPUB; USPAT	OR	ON	2005/06/03 15:12
L6	34	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole same survey and drill\$3	US-PGPUB; USPAT	OR	ON	2005/06/03 15:12

L7	17	("5230387" "5064006" "4957172"	US-PGPUB;	OR	ON	2005/06/03 15:12
		"5675488" "4791373" "4833787"	USPAT	ļ		
į		"4920655" "4433491" "5305212"				
		"6405808" "6438495" "4072200"				
		"6026913" "4468863" "4611405"		/		
		"4472884" "4909336" "5646611"				1
		"4901804" "4987684" "5821414"		'		
		"5892460" "5513710" "6188222"				-
		"5259466" "5806194" "5585790"				
		"6026914" "5467832" "5448227"				
		"5488989" "6164377" "6480119"				
		"6882937" "6736222" "5929540"				
		"5229939" "5390748" "4311912"				
		"5667025" "4956921" "5193628"				
		"4999920" "4852069" "5485089"				
		RE36569 "4372398" "4329647"				
		"5343152" "5955884").pn. and				
		borehole same survey and drill\$3				
		and magnetic same vector				
L8	9	("5230387" "5064006" "4957172"	US-PGPUB;	OR	ON	2005/06/03 15:13
		"5675488" "4791373" "4833787"	USPAT			
1		"4920655" "4433491" "5305212"				
		"6405808" "6438495" "4072200"				
		"6026913" "4468863" "4611405"				
		"4472884" "4909336" "5646611"				
		"4901804" "4987684" "5821414"				
		"5892460" "5513710" "6188222"				
		"5259466" "5806194" "5585790"				
		"6026914" "5467832" "5448227"				
		"5488989" "6164377" "6480119"				
į		"6882937" "6736222" "5929540"				
		"5229939" "5390748" "4311912"				
		"5667025" "4956921" "5193628"		1	İ	
		"4999920" "4852069" "5485089"				
		RE36569 "4372398" "4329647"				
		"5343152" "5955884").pn. and				
		borehole same survey and drill\$3				
		and magnetic same vector and				·
		target same angle				

		(UFD D D D D D U UFD C 400 C U U 40 F 74 F 7 "		0.0	011	2005/25/25 := :
L9	8	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole same survey and drill\$3 and magnetic same vector and target same angle and ((first or second) same measure\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:21
L10	0	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole same survey and drill\$3 and magnetic same vector and target same angle and ((first or second) same measure\$4) and tft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/06/03 15:15

				Ι.	ı	
L11	1	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole same survey and drill\$3 and magnetic same vector and target same angle and ((first or second) same measure\$4) and tool same face same target	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:15
L12	34	("3170137" "4302886" "4909336" "4987684" "5194859" "5220963" "5259466" "5351755" "5415238" "5419405" "5439064" "5842149" "5996711" "6003599" "6021377" "6065550" "6092610" "6145378" "6173773" "6192748" "6233524" "6267185" "6296066" "6315062" "6453239" "6470976" "20020005286" "20020005297" "20020116130" "20020133958" "5675488" "6321456" "6480119" "20020144417").pn.	US-PGPUB; USPAT	OR	ON	2005/06/03 15:30
L13	37		US-PGPUB; USPAT	OR	ON	2005/06/03 15:30
S1	3	well same twin\$4 same borehole same survey\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:36

						
S2	7	wellbore and drill\$3 and passive same rang\$3 same technique\$3 and survey\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:38
S3	2	wellbore and drill\$3 and passive same rang\$3 same technique\$3 and borehole same survey\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:49
S4	40	("20020005286" "20020005297" "20020116130" "20020133958" "20020144417" "3170137" "3725777" "4302886" "4909336" "4987684" "5155916" "5194859" "5220963" "5259466" "5351755" "5415238" "5419405" "5439064" "5512830" "5657826" "5675488" "5842149" "5960370" "5996711" "6003599" "6021377" "6065550" "6092610" "6145378" "6173773" "6192748" "6233524" "6267185" "6296066" "6315062" "6321456" "6453239" "6470976" "6480119").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/01 17:41
S5	21	("4231252" "4472884" "4510696" "4559713" "4709486" "4906388" "4909336" "4987684" "5410303" "5435069" "5623407" "5657547" "5657826" "5739431" "5787997" "5821414" "5970787" "6109370" "6179067" "6347282" "RE33708").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/01 17:49
S6	22	("4231252" "4472884" "4510696" "4559713" "4709486" "4906388" "4909336" "4987684" "5410303" "5435069" "5623407" "5657547" "5657826" "5739431" "5787997" "5821414" "5970787" "6109370" "6179067" "6347282" "RE33708").PN.	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:49
S7	2	wellbore and drill\$3 and passive same rang\$3 same technique\$3 and borehole same survey\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:38

S8	0	wellbore and drill\$3 and passive same rang\$3 same technique\$3 and borehole same survey\$3	USOCR	OR	ON	2005/06/01 17:50
S9	0	wellbore and drill\$3 and passive and rang\$3 and technique\$3 and borehole and survey\$3	USOCR	OR	ON	2005/06/01 17:50
S10	38	wellbore and drill\$3 and passive and rang\$3 and technique\$3 and borehole and survey\$3	USPAT	OR	ON	2005/06/01 17:50
S11	0	33/304.ccls. and wellbore and drill\$3 and passive and rang\$3 and technique\$3 and borehole and survey\$3	USPAT	OR	ON	2005/06/01 17:51
S12	201	33/304.ccls.	USPAT	OR	ON	2005/06/01 17:51
S13	0	33/304.ccls. and twinning	USPAT	OR	ON	2005/06/01 17:51
S14	1	33/304.ccls. and twin\$3	USPAT	OR	ON	2005/06/03 15:11
S15	1	33/304.ccls. and twin\$3	USPAT	OR	ON	2005/06/02 15:52
S16	201	33/304.ccls.	USPAT	OR	ON	2005/06/02 15:53
S17	33	33/304.ccls. and wellbore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:16
S18	2	33/304.ccls. and twin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:18
S19	0	174/45.ccls. and twin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:18
S20	. 7	(174/45.ccls. or 33/304.ccls. or 324/345.ccls. or 166/250.13.ccls. or 702/10.ccls. or 166/255.ccls.) and twin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:22
S21	6	((borehole) or (bore same hole)) same twin\$4 and vector and magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:29

Caa			LIC DOD'IE	00	011	2005/06/52 45 5
S22	61	horizon\$4 same plane and vertical and magnetic same north and magnetic same azimuth and magnetic same east	US-PGPUB; USPAT	OR	ON	2005/06/02 16:31
S23	28	horizon\$4 same plane and vertical and magnetic same north and magnetic same azimuth and magnetic same east and borehole	US-PGPUB; USPAT	OR	ON	2005/06/02 16:31
S24	2	wellbore and drill\$3 and passive same rang\$3 same technique\$3 and borehole same survey\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:45
S25	36	("3725777" "5512830" "5657826" "3170137" "4302886" "4909336" "4987684" "5194859" "5220963" "5259466" "5351755" "5415238" "5419405" "5439064" "5842149" "5996711" "6003599" "6021377" "6065550" "6092610" "6145378" "6173773" "6192748" "6233524" "6267185" "6296066" "6315062" "6453239" "6470976" "200200052286" "20020005297" "20020116130" "20020133958" "5675488" "6321456" "6480119" "20020144417").pn.	US-PGPUB; USPAT	OR	ON	2005/06/02 16:58
S26	50	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn.	US-PGPUB; USPAT	OR	ON	2005/06/03 15:10

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
si	3	well same twin\$4 same borehole same survey\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:36
S2	7	wellbore and drill\$3 and passive same rang\$3 same technique\$3 and survey\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:38
S3	2	wellbore and drill\$3 and passive same rang\$3 same technique\$3 and borehole same survey\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:49
S4	40	("20020005286" "20020005297" "20020116130" "20020133958" "20020144417" "3170137" "3725777" "4302886" "4909336" "4987684" "5155916" "5194859" "5220963" "5259466" "5351755" "5415238" "5419405" "5439064" "5512830" "5657826" "5675488" "5842149" "5960370" "5996711" "6003599" "6021377" "6065550" "6092610" "6145378" "6173773" "6192748" "6233524" "6267185" "6296066" "6315062" "6321456" "6480119").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/01 17:41
S5	21	("4231252" "4472884" "4510696" "4559713" "4709486" "4906388" "4909336" "4987684" "5410303" "5435069" "5623407" "5657547" "5657826" "5739431" "5787997" "5821414" "5970787" "6109370" "6179067" "6347282" "RE33708").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/01 17:49

			T		1	T
S6	22	("4231252" "4472884" "4510696" "4559713" "4709486" "4906388" "4909336" "4987684" "5410303" "5435069" "5623407" "5657547" "5657826" "5739431" "5787997" "5821414" "5970787" "6109370" "6179067" "6347282" "RE33708").PN.	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:49
S7	2	wellbore and drill\$3 and passive same rang\$3 same technique\$3 and borehole same survey\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:38
S8	0	wellbore and drill\$3 and passive same rang\$3 same technique\$3 and borehole same survey\$3	USOCR	OR	ON	2005/06/01 17:50
S9	0	wellbore and drill\$3 and passive and rang\$3 and technique\$3 and borehole and survey\$3	USOCR	OR	ON	2005/06/01 17:50
S10	38	wellbore and drill\$3 and passive and rang\$3 and technique\$3 and borehole and survey\$3	USPAT	OR	ON	2005/06/01 17:50
S11	0	33/304.ccls. and wellbore and drill\$3 and passive and rang\$3 and technique\$3 and borehole and survey\$3	USPAT	OR	ON	2005/06/01 17:51
S12	201	33/304.ccls.	USPAT	OR	ON	2005/06/01 17:51
S13	0	33/304.ccls. and twinning	USPAT	OR	ON	2005/06/01 17:51
S14	1	33/304.ccls. and twin\$3	USPAT	OR	ON	2005/06/01 17:51
S15	1	33/304.ccls. and twin\$3	USPAT	OR	ON	2005/06/02 15:52
S16	201	33/304.ccls.	USPAT	OR	ON	2005/06/02 15:53
S17	33	33/304.ccls. and wellbore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:16
S18	2	33/304.ccls. and twin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:18

S19	0	174/45.ccls. and twin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:18
S20	7	(174/45.ccls. or 33/304.ccls. or 324/345.ccls. or 166/250.13.ccls. or 702/10.ccls. or 166/255.ccls.) and twin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:22
521	6	((borehole) or (bore same hole)) same twin\$4 and vector and magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:29
S22	61	horizon\$4 same plane and vertical and magnetic same north and magnetic same azimuth and magnetic same east	US-PGPUB; USPAT	OR	ON	2005/06/02 16:31
S23	28	horizon\$4 same plane and vertical and magnetic same north and magnetic same azimuth and magnetic same east and borehole	US-PGPUB; USPAT	OR	ON	2005/06/02 16:31
S24	2	wellbore and drill\$3 and passive same rang\$3 same technique\$3 and borehole same survey\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:45
S25	36	("3725777" "5512830" "5657826" "3170137" "4302886" "4909336" "4987684" "5194859" "5220963" "5259466" "5351755" "5415238" "5419405" "5439064" "5842149" "5996711" "6003599" "6021377" "6065550" "6092610" "6145378" "6173773" "6192748" "6233524" "6267185" "6296066" "6315062" "6453239" "6470976" "200200052286" "20020005297" "20020116130" "20020133958" "5675488" "6321456" "6480119" "20020144417").pn.	US-PGPUB; USPAT	OR	ON	2005/06/02 16:58

S26	50	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn.	US-PGPUB; USPAT	OR	ON	2005/06/03 10:44
-----	----	---	--------------------	----	----	------------------

						4000
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn.	US-PGPUB; USPAT	OR	ON	2005/06/03 15:11
L2	49	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole	US-PGPUB; USPAT	OR	ON	2005/06/03 15:10
L3	0	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and twinning	US-PGPUB; USPAT	OR	ON	2005/06/03 15:10

Г	1 .	T	T	T	1	T
L4	1	33/304.ccls. and twin\$4	USPAT	OR	ON	2005/06/03 15:11
L5	34	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole same survey and drilling	US-PGPUB; USPAT	OR	ON	2005/06/03 15:12
L6	34	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole same survey and drill\$3	US-PGPUB; USPAT	OR	ON	2005/06/03 15:12

L7	17	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628"	US-PGPUB; USPAT	OR	ON	2005/06/03 15:12
L8	. 9	"4999920" "4852069" "5485089" RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole same survey and drill\$3 and magnetic same vector ("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405"	US-PGPUB; USPAT	OR	ON	2005/06/03 15:13
		"4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222" "5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912" "5667025" "4956921" "5193628" "4999920" "4852069" "5485089"				
		RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole same survey and drill\$3 and magnetic same vector and target same angle				

L9	8	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212"	US-PGPUB; USPAT; USOCR;	OR	ON	2005/06/03 15:16
		"6405808" "6438495" "4072200" "6026913" "4468863" "4611405"	EPO; JPO; DERWENT;			
		"4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222"	IBM_TDB			
		"5259466" "5806194" "5585790" "6026914" "5467832" "5448227"				
		"5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912"				
		"5667025" "4956921" "5193628" "4999920" "4852069" "5485089"	·			
		RE36569 "4372398" "4329647" "5343152" "5955884").pn. and borehole same survey and drill\$3				•
		and magnetic same vector and target same angle and ((first or second) same measure\$4)				
L10	0	("5230387" "5064006" "4957172" "5675488" "4791373" "4833787" "4920655" "4433491" "5305212" "6405808" "6438495" "4072200" "6026913" "4468863" "4611405" "4472884" "4909336" "5646611" "4901804" "4987684" "5821414" "5892460" "5513710" "6188222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:15
		"5259466" "5806194" "5585790" "6026914" "5467832" "5448227" "5488989" "6164377" "6480119" "6882937" "6736222" "5929540" "5229939" "5390748" "4311912"				
		"5667025" "4956921" "5193628" "4999920" "4852069" "5485089" RE36569 "4372398" "4329647"				
	Š	"5343152" "5955884").pn. and borehole same survey and drill\$3 and magnetic same vector and				
		target same angle and ((first or second) same measure\$4) and tft			•	·

L11	1	("5230387" "5064006" "4957172"	US-PGPUB;	OR	ON	2005/06/03 15:15
į		["] 5675488" "4791373" "4833787"	USPAT;			
		"4920655" "4433491" "5305212"	USOCR;			
		"6405808" "6438495" "4072200"	EPO; JPO;			
		"6026913" "4468863" "4611405"	DERWENT;			
		"4472884" "4909336" "5646611"	IBM_TDB			
		"4901804" "4987684" "5821414"				
		"5892460" "5513710" "6188222"				
		"5259466" "5806194" "5585790"				
Ì		"6026914" "5467832" "5448227"				
		"5488989" "6164377" "6480119"				
		"6882937" "6736222" "5929540"			e i	
		"5229939" "5390748" "4311912"				
		"5667025" "4956921" "5193628"				
		"4999920" "4852069" "5485089"]			
		RE36569 "4372398" "4329647"				
		"5343152" "5955884").pn. and				
		borehole same survey and drill\$3				
		and magnetic same vector and				
		target same angle and ((first or				
		second) same measure\$4) and tool				
		same face same target		ĺ		